


## **Quick Start**


## **VENUS GREEN PLUS**














If no possibility to have external air inlet from outside or from a shelter, you can install the appliance. But ! You have to connect the air inlet 100 mm with a tube to a grill in the masonry. In this way you will provide the Venus Green Plus with Oxygen coming in from the living room. Please keep this livingroom adequately ventilated to avoid under pressure. This type of installation is not advised for Passive houses. (As same for installation with fan in this way)

MINIMUM HEIGHT OF THE FLUE IN TERMS OF REDUCTIONS		
Ø <sub>250</sub>	Ø 200	Ø <sub>180</sub>
		≥ 4m
	≥ 4m	≥ 6m
≥ 4m	≥ 6m	
	≥ 4m	≥ 6m
≥ 4m	≥ 6m	
	≥ 4m	≥ 6m
	Ø <sub>250</sub> ≥ 4m	$\emptyset$ 250 $\emptyset$ 200 $\ge 4m$ $\ge 4m$ $\ge 4m$ $\ge 4m$ $\ge 6m$



Never use a 90 degree bend! the angle of the bend must exceed 45 degrees with the perpendicular. Per 45 degree change of direction (2 curves 45), install 1 m more regarding this table.



Guarantee ceased to be valid if the instructions and guidelines of these operating intructions were not followed.

This is only a Quick Start document. Please, read carefully our Installation Guide



Passion for fire